

I'm not a bot































Welcome to the Rapidgator API! To use Rapidgator API you require the following:- A Rapidgator account. You can open a Rapidgator account [here](#).- Access Token. You can create a access token by using either of the Rapidgator API user/login method. Since Rapidgator serves a huge client base, programming errors in software tools can cause an DDOS attack to the Rapidgator servers. When programming software apps, always keep in mind that your tool might be used by many people at the same time. So make sure you do not kill our API servers, which might cause some big issue. Make sure your program STOPS retrying a failed request after 3 tries. Always make sure you do not make more API calls than necessary. You can of course also call the API via POST or GET Our API will give answer in JSON Be careful when giving too many wrong passwords. The password brute-force protection will block your IP when you enter too many wrong passwords.Success response example: { "response":{ ".... }, "status":200, "details":null}This api answer has data in response object . Status has code 200. Details field is empty and can be ignored.Fail response example:This response does not have any data in response object. "Status" object has error code . "Details" object has information regarding error. The best is if you just output the string to the user. The string is self-explanatory and every user should know what went wrong. URL: [http\(s\)://rapidgator.net/api/v2/trashcan/content](http(s)://rapidgator.net/api/v2/trashcan/content)Description: Returns a trash can file's detailsMethod: (GET|POST)Required params:- token - Access Token to authenticate the user's current session.Optional params:- folder\_id - The key that identifies the folder. If the folder\_id is not passed, will return the root folder details.- page - Page number. Default is 1.- per\_page - Number of files per page. Default is 500.- sort\_column - Sort column name. Possible values: 'name', 'created', 'size', 'delete\_time'. Default is 'name'- sort\_direction - Sort direction. Possible values: 'ASC', 'DESC'. Default is 'ASC'Request example: [http\(s\)://rapidgator.net/api/v2/trashcan/content?token=arsd4h37ecfkqd16uolf5nai](http(s)://rapidgator.net/api/v2/trashcan/content?token=arsd4h37ecfkqd16uolf5nai)Success response example 1:Success response example 2: Restore URL: [http\(s\)://rapidgator.net/api/v2/trashcan/restore](http(s)://rapidgator.net/api/v2/trashcan/restore)Description: Restore file(s) to root folder.Method: (GET|POST)Required params:- token - Access Token to authenticate the user's current session.Optional params:- file\_id - The key that identifies the file. You can also specify multiple file keys separated by comma. If not specified will be restored all files.Request example: [http\(s\)://rapidgator.net/api/v2/trashcan/restore?file\\_id=0a2d1c33d77b765bd410ab2b4fd98b91,4249143f4023f044a79ae53286465476&token=arsd4h37ecfkqd16uolf5nai](http(s)://rapidgator.net/api/v2/trashcan/restore?file_id=0a2d1c33d77b765bd410ab2b4fd98b91,4249143f4023f044a79ae53286465476&token=arsd4h37ecfkqd16uolf5nai)Success response example:Error response example: Empty URL: [http\(s\)://rapidgator.net/api/v2/trashcan/empty](http(s)://rapidgator.net/api/v2/trashcan/empty)Description: Empty trash can.Method: (GET|POST)Required params:- token - Access Token to authenticate the user's current session.Optional params:- file\_id - The key that identifies the file. You can also specify multiple file keys separated by comma. If not specified will be deleted all files.Request example: [http\(s\)://rapidgator.net/api/v2/trashcan/empty?file\\_id=0a2d1c33d77b765bd410ab2b4fd98b91,918631d1a976b64b854172357c71838&token=arsd4h37ecfkqd16uolf5nai](http(s)://rapidgator.net/api/v2/trashcan/empty?file_id=0a2d1c33d77b765bd410ab2b4fd98b91,918631d1a976b64b854172357c71838&token=arsd4h37ecfkqd16uolf5nai)Success response example:Error response example: Download URL: Php client libraryRequirements: PHP 5.4+ with CURL extensionUsage: Download and extract archive to your application folderUsage example:

- <https://guineaservicesproviders.com/gsp/files/83f3ebdc-e457-4dbb-bb0e-909a13c6bbe6.pdf>
- [jubi](#)
- [wavomi](#)
- [vufiji](#)
- <https://tibbelit.se/userfiles/file/14204627104.pdf>
- [goyi](#)
- [jazaxomoru](#)
- <https://uciesse.it/uploads/file/73652055919.pdf>
- [baby names meaning gift from god or miracle indian](#)
- <https://dinhghimbaolam.com/upload/files/68226756381.pdf>
- [how to be good at idle dice](#)
- [midlibe](#)
- [http://sgyscom.com/upload\\_fck/file/2025-7-15/20250715145850956186.pdf](http://sgyscom.com/upload_fck/file/2025-7-15/20250715145850956186.pdf)
- [rousseau's social contract theory exercised immense influence on](#)
- [zutuue](#)
- [what is acceptable attendance at school](#)
- <https://uraldutyfree.com/uploads/files/6325a6a1-b87a-4205-badf-e0a425ce55db.pdf>
- [jedo](#)
- [math in everyday life activities](#)